

CONTINUOUS LINE CONSTRUCTION HORIZONTAL SECTION

LOUVER SPEC:

TEN PLUS MODEL H5454 - AMCA LICENSED, EXTRUDED ALUMINUM LOUVER. ALL PROFILES TO BE 2 mm (0.080") 6063-T5 ALUMINUM ALLOY. UNLESS OTHERWISE SPECIFIED, ALL STRUCTURAL ELEMENTS TO BE DESIGNED FOR A LIVE LOAD OF 0.95 kPa (20 Lbs. PER SQ FOOT).

FINISH:

- THREE COAT 70% PVDF RESIN TO AAMA 2605 STD.
- TWO COAT 70% PVDF RESIN TO AAMA 2605 STD.
- ONE COAT THERMOSETTING RESIN TO AAMA 2603 STD.
- COLOR ANODIC
- COLOR: _____
- CLEAR ANODIZED CLASS I CLASS II
- OTHER: **BLACK ANODIZED**

BLANK OFF PANEL:

- 1 mm (0.040") ALUMINUM SHEET ONLY
- INSULATED / THICKNESS: _____
- EXTERIOR SHEET PAINTED TO MATCH LOUVER

SCREENS:


- 16 mm (5/8") EXPANDED ALUMINUM MESH
- 12 mm (1/2") WELDED & REGALVANIZED STEEL MESH
- 12 mm (1/2") INTER-CRIMPED ALUMINUM WIRE
- 18 X 18 ALUMINUM MESH INSECT SCREEN
- SCREEN TO HAVE PERIMETER FRAME
- OTHER: _____

OTHER:

- SILL FLASHING REQUIRED
- LOUVER SETBACK DIM. _____
- FREE AREA : 54.4% (BASED ON 48" x 48" LOUVER SIZE)
- _____
- _____

NOTE: SOME OPTIONS MAY LEAD TO EXTRA COSTS TO THE CONTRACT. ENQUIRE WITH YOUR REP.

REF.	QTY.	DESIGN OPENING WIDTH	DESIGN OPENING HEIGHT	NUMBER OF STRUCTURALS (MULLIONS)	LOUVER LOCATION	FIELD OPENING WIDTH	FIELD OPENING HEIGHT	NOTES
VS-1	20	2700	5960					
VS-2	1	3370	5960					

 <p>26 - 6535 MILLCREEK DRIVE MISSISSAUGA, ON L5N 2M2 TEL: 905-363-2306 FAX: 905-363-2309 WWW.TENPLUS-ONLINE.COM</p>	PROJECT: NORTH EAST TRANSIT GARAGE - EDMONTON	DATE: September 28, 2017
	CUSTOMER: CLARK BUILDERS	DRAWN BY: TP
	CONSULTANT:	REVISION:
	REPRESENTATIVE: MANNY FRANCISCO	PROJECT No.: